



UPGRADE KIT: Contains a new door operator motor, SmarTRAQ drive unit and appropriate mounting hardware.

- How many upgrade kits do you need? \_\_\_\_\_
- Existing door operator manufacturer: \_\_\_\_\_ Model: \_\_\_\_\_
- Fill out the job, contractor, and shipping information below and fax this page to MCE at (916) 638 1418

**IF YOU NEED ADDITIONAL COMPONENTS, complete and submit all three pages of this survey form.**

**CAR SIDE**

	QTY		COST
Base Door Operator.....	_____	@ \$1578 =	_____
2 Spd Drv Arm Lnk (SSL Only)	_____	@ \$38 =	_____
Track,Hanger,Rollers, Header...	_____	per quote =	_____
Clutch.....	_____	@ \$109=	_____
Clutch w/Restrictor.....	_____	@ \$215 =	_____
Mounting Plate.....	_____	@ \$22.50=	_____
Slave Door Drive Assembly.....	_____	@ \$30.50 =	_____
Mounting Plate.....	_____	@ \$8 =	_____

**CAR SIDE**

	QTY		COST
Gate Switch.....	_____	@ \$43 =	_____
IR Detector, Janus Pana 40.....	_____	@ \$381 =	_____
Door Position Monitor Switch.....	_____	@ \$56 =	_____

DPM required: ANSI A17.1 1998  
& 2000, and CSA.

**HATCH SIDE**


	QTY		COST
Track,Hanger w/ roller assembly	_____	per quote =	_____
Hall Door Interlock Assembly.....	_____	@ \$70 =	_____
Pick Up Roller Mounting Plate...	_____	@ \$8 =	_____

**HATCH SIDE**


	QTY		COST
Sngl Spd Door Closer. Sill, w/spring	_____	@ \$61 =	_____
2-spd Door Closer, Sill, w/spring....	_____	@ \$77 =	_____
2-spd Door Closer, Sill.....	_____	@ \$69 =	_____
Spirator Closer.....	_____	@ \$39 =	_____

Select door operator mounting orientation and (if center parting) car door clutch location

SIDE SLIDE



CENTER PART





VIEW FROM HALL


Job name: \_\_\_\_\_  
 Customer Job #: \_\_\_\_\_  
 Purchase order #: \_\_\_\_\_  
 Requested ship date: \_\_\_\_\_  
 Todays date: \_\_\_\_\_  
 Ship To: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_  
 Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Street Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 24-hour notice needed?  Lift gate truck needed?

Contractor: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_  
 Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Street Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 E Mail Address: \_\_\_\_\_  
 FORM COMPLETED BY:  
 Name: \_\_\_\_\_  
 Company: \_\_\_\_\_  
 Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 E Mail Address: \_\_\_\_\_


If you are ordering car-mounted products beyond the upgrade kit, please complete this page.



\* Standard center to center dimension for MCE door hangers is 4 1/8". An adapter is used to accommodate other center to center dimensions. If adapters are used, the door track must be raised 1/2" to compensate.





FROM EXISTING INSTALLATION  
 If applicable




Job Name: \_\_\_\_\_


If you are ordering hall-mounted products, please complete this page.



\* Standard center to center dimension for MCE door hangers is 4 1/8". An adapter is used to accommodate other center to center dimensions. If adapters are used, the door track must be raised 1/2" to compensate.



FROM EXISTING INSTALLATION  
 If applicable



Job Name: \_\_\_\_\_