



Motion Control Engineering
 Voice: 916 463 9200
 Fax: 916 463 9201

iControl Traction Engineering Survey Form

Page 1 of 11

Doc #:42-FR-0449 A5 (JER117)
 www.nidec-mce.com

LOGISTICS INFORMATION

MCE to complete shaded area

MCE Job Number:	Date Received:
Job Name:	Job Engineer:

In order to better serve you and meet your schedule, this form must be completed and signed. Timely delivery and trouble-free installation begin with this data form. Accurate and complete information is essential. Non-response to a question will be defined as meaning that the item does not apply.

Job Type

- | | | |
|---|---|---|
| <input type="checkbox"/> Federal Government | <input type="checkbox"/> State Government | <input type="checkbox"/> Other Government |
| <input type="checkbox"/> School or University | <input type="checkbox"/> Courthouse | <input type="checkbox"/> Hospital |
| <input type="checkbox"/> Office Building | <input type="checkbox"/> Private | <input type="checkbox"/> Jail / Prison |
| <input type="checkbox"/> Other | | |

Site & Contact Information

Building Information

Address:

City:

State:

Zip Code:

Building Owner Representative

Print Name:

Title:

Business Phone:

Cell Phone:

eMail:

Address:

City:

State:

Zip Code:

Consultant Information

Consulting Firm Name:

Contact Name:

Business Phone:

Cell Phone:

eMail:

Address:

City:

State:

Zip Code:

Contractor Information

Company Name:

Contact Name:

Company Phone:

Cell Phone:

eMail:

Address:

City:

State:

Zip Code:

Form Completed By

Name:

Business Phone:

Cell Phone:

eMail:

Address:

Shipping Information

Ship to Address:

Advanced Notification
 Required:

- 24 hrs 48 hrs

Lift Gate Truck Required:

- Yes No

Logistics Information (continued)

Delivery & Payment Schedule

Standard MCE terms of payment (net 30 days) apply to your order. If you require special terms of payment, please provide an Alternative Payment Schedule.

Per state tax laws, it is critical that MCE receive exemption or resale certificates prior to the material being shipped and billed. If the job is a tax-exempt job, send the exemption certificate with this form. If you are a resale customer and have a resale certificate, please make sure that the MCE accounting department has a copy on file.

Customer Job Number:		
Customer PO Number:		
Job Name:		
Number of cars:		
Control	Delivery (Onsite) Date*	Payment Date
Car " "		
Car " "		
Car " "		
Car " "		
Car " "		
Car " "		
Car " "		
Group " "		

*Crane Required: Yes No

Delivery & Payment Schedule

If different payment terms are required, please provide an alternative proposal. Please include specifics of building owner payments and provide a copy of your contract.

Alternative Proposal Provided: Yes No
Contract Attached: Yes No

Job Push-Outs and Cancellation

Jobs pushed out by the customer more than 90 days beyond the originally scheduled date may be subject to cancellation charges as follows:

- * Before engineering commences: 10% of total sales order
- * After engineering completed: 30% of total sales order
- * After construction completed: 75% of total sales order

Extra/Other Documentation

If this job requires additional engineering drawing packages or additional manuals, please indicate below.

<input type="checkbox"/> Drawing Sets	# Required:
<input type="checkbox"/> Manuals	# Required:
<input type="checkbox"/> Laminated Drawing	# Required:
<input type="checkbox"/> Drawing on CD	# Required:

Elevator Safety Code Compliance

Accurate information is essential. Both hardware and software are affected.

Job Location (City/State):	
Contract Date:	
Project Type: <input type="checkbox"/> New Construction <input type="checkbox"/> Modernization	
Elevator Duty: <input type="checkbox"/> Passenger <input type="checkbox"/> Service <input type="checkbox"/> Freight	
Measurements: <input type="checkbox"/> U.S./Imperial <input type="checkbox"/> S.I./Metric	
North American Compliance: <input type="checkbox"/> U.S. <input type="checkbox"/> Canada	
ASME A17.1/B44 Edition: <input type="checkbox"/> 2019	
<input type="checkbox"/> 2016 <input type="checkbox"/> 2013 <input type="checkbox"/> 2010 <input type="checkbox"/> 2007 <input type="checkbox"/> 2004 <input type="checkbox"/> 2000	
Addenda/Supplements: <input type="checkbox"/> 2008(a) <input type="checkbox"/> 2005(a) <input type="checkbox"/> 2002(a)	
(None for A17.1-2010 and later) <input type="checkbox"/> 2009(b) <input type="checkbox"/> 2005(S) <input type="checkbox"/> 2003(b)	
<input type="checkbox"/> ASME A17.1-1996/98	
<input type="checkbox"/> ASME A17.1-____ (Specify edition & addenda)	
International Compliance:	
<input type="checkbox"/> Australia AS 1735	
<input type="checkbox"/> EN 81	
<input type="checkbox"/> Other (Specify):	
Additional Jurisdictional Code Compliance:	
<input type="checkbox"/> California medical facility OSHPD Seismic Certification (additional charge for certified cabinet)	
<input type="checkbox"/> Chicago Chapter 18-30	
<input type="checkbox"/> Denver <input type="checkbox"/> Pressurized hoistway	
<input type="checkbox"/> GSA	
<input type="checkbox"/> Hawaii	
<input type="checkbox"/> Houston, TX <input type="checkbox"/> Existing Door Reopen Button, Fire Phase I	
<input type="checkbox"/> Maryland	
<input type="checkbox"/> Michigan <input type="checkbox"/> Permit/contract date prior to 6/21/2010?	
<input type="checkbox"/> Nebraska	
<input type="checkbox"/> New York City, NY <input type="checkbox"/> Appendix K <input type="checkbox"/> RS-18	
<input type="checkbox"/> Seattle, Washington	<input type="checkbox"/> Multiple Phase I Switches
<input type="checkbox"/> Washington State	# of 3-position: ____ # of 2-position: ____
<input type="checkbox"/> TSSA <input type="checkbox"/> Collapsible Car Top Guard Rail	
<input type="checkbox"/> Additional Compliance Requirements? Explain:	

Job Specification

Does project have job specifications?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes, number of pages: _____	
Have specifications been forwarded to MCE?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Type of Operation

<input type="checkbox"/> Simplex Home Landing#: _____ Floor Label: _____	
<input type="checkbox"/> Group Automatic (iCentral w/ enhanced iCue) Number of Cars: _____ Number of Hall Call Risers: _____ Lobby Landing #1: _____ Floor Label: _____ Lobby Landing #2: _____ Floor Label: _____	
PLUG: iCue to dispatch existing (non-iControl) MCE Equipment: <input type="checkbox"/> Yes <input type="checkbox"/> No Existing control type being retained: <input type="checkbox"/> IMC <input type="checkbox"/> PTC <input type="checkbox"/> Other Please contact MCE Sales Team to confirm eligibility of PLUG upgrade.	
<input type="checkbox"/> Swing Car Operation Car(s): _____ <input type="checkbox"/> Activated by keyswitch Switch location: <input type="checkbox"/> Car <input type="checkbox"/> Hall <input type="checkbox"/> Autoswing (<input type="checkbox"/> w/ keyswitch) Openings/Landings Serviced under Swing: <input type="checkbox"/> Identical to Normal Group Automatic <input type="checkbox"/> Other (Provide Details)	
iCentral Group to Controller Ethernet Cable Lengths: <input type="checkbox"/> 5' <input type="checkbox"/> 10' <input type="checkbox"/> 25' <input type="checkbox"/> 50' <input type="checkbox"/> 75' <input type="checkbox"/> 100' <input type="checkbox"/> 150' Standard 25 ft. Measure distance from group control (iCentral) to most distant iControl, add 10 ft. for inside cabinet connections. Order one cable for each iControl in the group. There is no daisy chaining. Each control will communicate directly with the group.	
Destination-Based Dispatching? <input type="checkbox"/> Yes** <input type="checkbox"/> No <input type="checkbox"/> Lobby Boost <input type="checkbox"/> Full DBD **Please complete DBD Survey form 42-FR-0465 A1 (JER147)	
Cross Cancellation/Registration Panel* (iCue required) Temporary hall call panel used during modernization process when existing dispatcher and MCE dispatcher are to operate simultaneously as one dispatching system.	
<input type="checkbox"/> Cross Registration <input type="checkbox"/> Cross Cancellation *Copy of the existing hall call schematics must be provided. Existing Hall Call Bus Voltage: _____ <input type="checkbox"/> AC <input type="checkbox"/> DC Existing control type: <input type="checkbox"/> Relay logic <input type="checkbox"/> Microprocessor	

Fire Service Operation

<input type="checkbox"/> Fire Service Phase I Main Landing #: _____ Floor Label: _____ Doors will open: <input type="checkbox"/> Front <input type="checkbox"/> Rear Phase 1 Switch is: <input type="checkbox"/> 2-position <input type="checkbox"/> 3-position Alternate Landing #: _____ Floor Label: _____ Doors will open: <input type="checkbox"/> Front <input type="checkbox"/> Rear NOTE: For flood hazard zones, the designated and alternate fire recall floors should be at or above the base flood elevation.	
Additional 2-position switch: <input type="checkbox"/> Yes <input type="checkbox"/> No For Federal jobs, location of additional 2-position switch: Landing #: _____ Floor Label: _____	
Hoistway sensors: <input type="checkbox"/> At or below lower level of recall <input type="checkbox"/> Above lower level of recall	
<input type="checkbox"/> "Elevator Control Panel" (Chicago High Rise only)	
<input type="checkbox"/> Fire Service Phase II Type of switch: <input type="checkbox"/> 3-position <input type="checkbox"/> 2-position Call Cancel Button: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Additional Fire Operation Requirements for NY, Detroit MI, or GSA/Federal Jurisdictions: <input type="checkbox"/> Shunt Trip Delay <input type="checkbox"/> Heat Detector Locations: <input type="checkbox"/> MR <input type="checkbox"/> HW <input type="checkbox"/> Each floor	

Operating Features

Attendant Service: <input type="checkbox"/> Yes <input type="checkbox"/> No Annunciator Panel in Car (Monitoring Hall Calls Registered): <input type="checkbox"/> Yes <input type="checkbox"/> No	
Car to Lobby Switch: <input type="checkbox"/> Yes <input type="checkbox"/> No Recall Landing: _____ Floor Label: _____ Park with doors: <input type="checkbox"/> Open <input type="checkbox"/> Closed Location of switch: <input type="checkbox"/> Car <input type="checkbox"/> Hall	
Earthquake Service: <input type="checkbox"/> Yes <input type="checkbox"/> No Code Compliance: <input type="checkbox"/> ASME <input type="checkbox"/> California (Group II) Machine Type: <input type="checkbox"/> Traction <input type="checkbox"/> Winding Drum <input type="checkbox"/> Seismic switch <input type="checkbox"/> By MCE <input type="checkbox"/> By Customer <input type="checkbox"/> C/W derailment device <input type="checkbox"/> By MCE <input type="checkbox"/> By Customer <input type="checkbox"/> Earthquake light/buzzer <input type="checkbox"/> Car to operate on fire or hospital service <input type="checkbox"/> Earthquake hoistway scan switch in COP? (optional for 2016 and later) NOTE: A manually reset switch that is positively opened mechanically must be provided at the machine to detect the displacement of the suspension members or the suspension members' retainer. <input type="checkbox"/> Alarm button (required in COP; 2016 or later)	
Emergency Power Operation: <input type="checkbox"/> Yes <input type="checkbox"/> No Does generator power cars from other banks? <input type="checkbox"/> Yes <input type="checkbox"/> No If so, is sequential lowering required amongst elevators from different banks? <input type="checkbox"/> Yes (Overlay req'd) <input type="checkbox"/> No NOTE: Cars under EP overlay control to recall/sequence one car at time. If other, please provide additional EP details. Number of cars allowed to run simultaneously: _____ Split or multiple power feeders to the elevators? <input type="checkbox"/> Yes <input type="checkbox"/> No Status of EP contact during normal power: <input type="checkbox"/> Open <input type="checkbox"/> Closed Power pretransfer contact – 10 sec minimum: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Manual Selector Switch Number of positions: _____ Labels: _____ Is switch located at the designated level in view of all elevator entrances? <input type="checkbox"/> Yes <input type="checkbox"/> No (Indicator req'd)	
For AC Controls; When Emergency Power Active, energy (power) to be handled by: <input type="checkbox"/> Braking Resistors <input type="checkbox"/> Regen Drive (if req'd)	
Emergency Medical Technician (EMT) Service: <input type="checkbox"/> Yes <input type="checkbox"/> No Recall Landing: _____ Floor Label: _____	
Flood Operation: <input type="checkbox"/> Yes <input type="checkbox"/> No Lowest landing that the car can go in an event of a flood: Landing: _____ Floor Label: _____ NOTE: The designated and alternate fire recall floors should be at or above this level.	
Hospital Service (Code Blue): <input type="checkbox"/> Yes <input type="checkbox"/> No Which Cars Used: _____ Floors Served: _____ In car activation: <input type="checkbox"/> Keyswitch <input type="checkbox"/> Other <input type="checkbox"/> None In car indicators: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Independent Service: <input type="checkbox"/> Yes <input type="checkbox"/> No Key switch location: <input type="checkbox"/> Hall <input type="checkbox"/> Car	
Sabbath Operation: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Timed Fan Light Output: <input type="checkbox"/> Yes <input type="checkbox"/> No Used to turn cab fan/lights off after a user-adjustable length of time (5 to 10 minutes) if the car is at a floor on automatic operation with the doors closed and no demand.	

Inspection/Access Requirements
Car Top Inspection Station by MCE (NEMA 1 only)

 Yes No

Extended Shaft Car Top Inspection Yes No

 (Bypasses 1st set of directional & final limits to move the car further up the hoistway during car top inspection; 2nd set of directional & final limits required, along with a separate multi-pole switch on car top complying with A17.1, 2.26.4.3.)

Hoistway Access Operation
 Yes No

Top access switch:

 Yes No

Switch location:

 Front Rear

Bottom access switch:

 Yes No

Switch location:

 Front Rear

In-car Access switch must be 2-position type (OFF/ENABLE).

In-Car Inspection Switch:
 Yes No

In-car Inspection switch must be 2-position type (INSP/NORM).

 In-car inspection using separate up/down buttons: Yes No

Load Weighing and Related Operating Modes
 EMCO Rope Tension Load Weigher

EMCO Rope Tension Load Weigher, Car: _____

 Number of ropes: 4 5 6 7 8

 Roping: 1:1 2:1

 Rope diameter: 10mm 1/2 in 9/16in 5/8 in

If additional cars use same roping, and more load weighers are required, indicate quantity here: _____

If car roping varies, provide information for each car below.

EMCO Rope Tension Load Weigher, Car: _____

 Number of ropes: 4 5 6 7 8

 Roping: 1:1 2:1

 Rope diameter: 10mm 1/2 in 9/16in 5/8 in

EMCO Rope Tension Load Weigher, Car: _____

 Number of ropes: 4 5 6 7 8

 Roping: 1:1 2:1

 Rope diameter: 10mm 1/2 in 9/16in 5/8 in

EMCO Rope Tension Load Weigher, Car: _____

 Number of ropes: 4 5 6 7 8

 Roping: 1:1 2:1

 Rope diameter: 10mm 1/2 in 9/16in 5/8 in

Other Load Weighing Devices:
 LW-MCEIP (Isolated Platform type required)

 K-Tech Strain Gauge (from MCE)

 K-Tech Strain Gauge (from other) Model: _____

 Other Load Weigher Brand: _____ Model: _____

 Discrete Load Weigher (Dry Contact Interface)

 Light load (Anti- nuisance)

 Heavy load (Hall call bypass)

 Overload

Machine Room Monitoring (iView)

iView is a graphical user interface used to configure, adjust, and troubleshoot the iControl platform. It can also be used for simple machine room monitoring. It is typically used in a machine room environment adjacent to the control equipment.

When utilizing an iCentral-Cue, the iVIEW component of the iControl is built into the group dispatching enclosure.

 Monitor size: 17"LCD (Std) Other _____

 Machine room Printer required: Yes No

If an iCOMM-CONNECT is being used, the iVIEW component supplied is not enclosed into any cabinet or enclosure.

Remote Monitoring (Connectivity)

 Remote Monitoring Required: Yes No

New controller to be monitored by system that is:

 New Existing

 Number of Monitoring Stations where controllers shall be connected: 1 2 Other ____

Max number of monitoring connections supported:

Simplex (4) Groups (8)

Controller requires connectivity to:
 iMonitor (Campus View iLobby)

 iReport

 BMS via BACnet SENTRY

 IDS Liftnet

 SAVIOKE ROBOT

 MCE Jail Application

 Please complete **Elevator Monitoring Survey Form** (Page 11)

located at the back of this iControl Survey Form packet, as additional monitoring station details are required.

Security Devices
****Car Call Cutouts:** Yes No

 Card Reader Dry Contact

 Contact Rating: 120VAC (Std) 24VDC

 Keyed floor lockout switches

 Switch location: Car Hall

Number of switches: _____

Floors secured by keyswitch: _____

 Car Call Code using Car Pushbuttons

****Hall Call Cutouts:** Yes No

 Card Reader Dry Contact

 Contact Rating: 120VAC (Std) 24VDC

 Keyed Hall Station Lockout

Floors Secured by Keyswitch: ____

Door Control Options During Security:

 Allow Door Open Button to operate after doors closed at a secure floor: Yes No

 Car allowed to park at secured floor: Yes No

Bypass Security? (Fire Service to bypass per code)
 Independent Service

 Attendant Service

 Hospital Service

 Other (_____)

Special Security Features:
 Jail Security*

 Discrete to 3rd party MCE Jail Application

 Deputy/Marshal Service*

 Remote Car Station Control

 Bracelet Security / Infant Abduction*

 Other* (_____)

*additional details must be provided

 Child / Infant Abduction / Bracelet Operation

Number of landings with detection device: _____

At which landings:

Landing #: _____ Floor Label: _____

Allow car to continue to run if not at affected landing:

 Yes No

****Not applicable to full destination systems, please refer to DBD Survey form for security options: 42-FR-0465 (JER147)**

General Information
Line Voltage

 Rated: _____ Measured: _____ 60 Hz 50 Hz

 AC 3 Phase (Symmetrical or Grounded Leg Delta*)

 AC 2 Phase AC Single Phase DC

* Isolation Transformer required

Other Power Related Features:

 Add isolation transformer: Yes No

 Isolation Transformer Sequential Start: Yes No

 TVSS (Surge suppressor) required: Yes No

 Brownout Circuit: Yes No

NOTE: The maximum controller SCCR (Short Circuit Current Rating) is 10kA. If available fault current exceeds 10kA, an isolation transformer will be required. Please notify MCE.

 Reduced Stroke Buffers: Yes No

Buffer rating: _____ fpm Buffer stroke: _____ inches

 Counterweight safety Yes No

 Governor tail sheave dislodged switch (OSHPD) Yes No

 Jawless governor (tail sheave limit sw. req'd) Yes No

 Suspension-Means Monitoring (req'd for A17.1-2010 and later)

 Steel wire ropes \geq 8mm (Standard)

 Steel wire ropes $<$ 8mm *

 Suspension means other than steel wire ropes *

* For non-standard suspension means, the customer must provide the Broken Suspension Member (2.20.8.2) or Suspension Member Residual Strength (2.20.8.3) monitoring means, including a normally closed contact.

Controller Type
 iControl AC (AC Regenerative Drive Req'd: Yes No)
 (Quattro Drive Required: Yes No)

 iControl DC (Quattro Drive Required: Yes No)

Machine and Brake
Machine Existing New New by MCE

Brand: _____

 Machine location: Overhead Basement MRL

 Geared Ring & Worm Helical

 External Tandem

 Gearless AC PM AC Induction DC

 Roping: 1:1 2:1

For MRL Applications:
 Battery Backup Passenger Rescue with Video

 Remote Governor Set / Reset

 Coil Voltage: _____ AC DC

Brake Existing New Brand: _____

 DC Brake (AC Brake control is not available for iControl)

Voltage: Pick: _____ Hold: _____

 Coil Resistance: _____ Measured Data Sheet

 Hot Cold

 Contact on Brake: Yes No

 Type: N/O N/C

 Battery Brake Release (Required by controller with use of some machine models.)

 Machine Blower: Yes No

Voltage: _____ Phase: _____ FLA: _____

Emergency Brake

ASME A17.1-2000/CSA B44-00 or later requires the addition of an emergency brake on all new traction elevators, per 2.19. Also note that some alterations may trigger the requirement to add an emergency brake as well, depending on the Code edition (e.g., change in type of service, operation or motion control; increase in rated load or speed; changing the location of or replacing the driving machine; or replacing the motion controller).

 Hollister Whitney Rope Gripper Thyssen Sheave Brake

 Bode Rope Brake Other (_____)

 Power Supply of Brake: 120VAC (Std) Other

If other, please specify: Voltage: _____ FLA: _____

 Secondary/Independent Brake on machine

Hoist Motor
Variable Frequency AC
 Existing New New by MCE

Brand: _____ HP: _____

Voltage: _____ FLA: _____ # Poles: _____

Sync RPM: _____ FL RPM: _____ Frequency: _____

For 2-speed motors, measure the high-speed winding.

Other name plate data: _____

Variable Voltage DC
 Existing New New by MCE

Brand: _____ HP: _____

Voltage: _____ FLA: _____ RPM: _____

Other name plate data: _____

Shunt Field Voltage:

Forcing: _____ Full Speed: _____ Standing: _____

Shunt Field Resistance: _____ (ohms)

 Measured Data Sheet # of coils: _____

 Series Series/Parallel

 Hot Cold

Loop Circuit Armature Voltage while running:

(measured on motor brushes):

Up empty car: _____ VDC at speed: _____

Down empty car: _____ VDC at speed: _____

Loop Circuit Current while running:

Up empty car: _____ Amps at speed: _____

Down empty car: _____ Amps at speed: _____

Velocity Feedback Device
 By MCE By Customer

 Analog Tachometer (Mount: Flange Foot)

If gearless;

Drive sheave diameter: _____ in

Diameter of surface to run tach: _____ in

 Digital Velocity Encoder (shaft driven device)

Encoder cable length _____ ft

DOOR INFORMATION

Door Information

Car Gate

- Automatic passenger style doors
 Powered freight style doors
 Manual doors
 Other: _____

Gate Release Solenoid (not standard) Yes No

Voltage: ___ AC 3-Phase AC 1-Phase DC

Current/Fuse size: 2A 3A Other: _____

Hoistway Doors

- Automatic passenger style doors
 Powered freight style doors
 Manual doors (complete below)
 Other: _____ (complete below)
 Interlock brand and model: _____
 Closed contact Yes No
 Locked contact Yes No
 Door locking cam
 Retiring
 (not driven by automatic passenger style car gate)
 Voltage: _____ AC 3-Ph AC 1-Ph DC
 Current / Fuse size: 2A 3A Other: _____
 Fixed cam
 Bar lock (manually operated)
 Mechanical
 (driven by automatic passenger style car gate)

Door Features

- Infrared detector unit/photo eye
 Cut-out switch in COP
 Anti-Nuisance
 Mechanical safety edge
 Heavy doors at landings; at which floor(s): _____
 Dual door operators on same side for wide opening
 Cartop door open/close buttons (nonsolid state door operators)
 Door Hold Operation (Non-Fire Operation)
 Pushbutton Switch
 If momentary, maximum hold time = 120 seconds
 Nudging
 Reduced torque with buzzer
 Buzzer only
 Ignore photo eye after ___ second interval
 If safety edge or door open button is activated, doors should:
 Stop Re-open
 Door open button Front Rear
 Door close button Front Rear

Automatic Passenger Style Doors

MCE

- SmarTraq Complete (Complete SmarTraq data forms)
 SmarTraq Upgrade
 (Upgrades existing operator to closed loop. Mark existing model below.)

GAL

- MOVFR I
 MOVFR II
 Voltage: 220VAC 110VAC
 (220 is default if no selection made)
 MOMVC/MOHVC MOM/MOH
 MOD (230V) MOSVCL
 MOD (115V) MOPM-P/MOPM-PL
 MODHA MOCT/MOCTA/MODCT/
 MOMCT/MOHCT
 Motor Voltage: 220 110
 Logic Voltage: 220 110

MAC/Kone

- PM-SSC/104 Board MAC (old style)
 AMD/Kone

TKE/Dover

- HD03M HDLM
 HD68/70/73/91
 HD98/85 (Requires SmarTraq upgrade kit)

Otis

- 6970A – Resistance 6970A – Reactance
 7300 A7770A
 7782AA OVL
 iMotion 1 & 2 AT400

ECI

- 895/1000 VFE2500
 2000
 Voltage: 220VAC 115VAC
 (220 is default if no selection made)

Other

- IPC Encore (closed loop) Mitsubishi LV1/4K
 Delco (closed loop) Schindler QKS 14 & 15
 Atlantic/Vertisys Model:
 Other (wiring diagram required):

Powered Freight Style Doors

Door Controller Model

- Peelle New Existing
Model: _____ (electrical schematic required)
 Courion New Existing
Model: _____ (electrical schematic required)
 EMS New Existing
Model: _____ (electrical schematic required)
 Other New Existing
Model: _____ (electrical schematic required)

Door Operation (freight only)

- Opening: Automatic Momentary pressure
 Closing: Automatic Momentary pressure
 Constant pressure
 Fire Ph. I Closing: Automatic Momentary pressure
 Constant pressure

FIXTURE INFORMATION

Auxiliary Car Station Yes No
 Total Number of Car Stations in each car:
 1 2 3 4

Call Registration Indicators
 Car: Incandescent LED
 Voltage: _____ AC DC
 Hall: Incandescent LED
 Voltage: _____ AC DC

Serial Link
 Call pushbuttons must be mechanical, and fixtures must be 24VDC, 6 Watt maximum.
 Car Calls (Optional – boards to be located behind car station)
 Hall Calls (Standard – board located in each hall p/b station)

Serial fixture boards to be sent to fixture manufacturer / contractor for pre-wire: Yes (If so, indicate where below) No
 Ship serial boards to:
 C.E. Electronics EPCO Dupar
 Innovation Industries Monitor MAD
 ERM PTL
 Elevator Contractor Office
 Please indicate Contact Person / Number in Special Notes below
 Which boards to be sent: COP Hall Station

Lanterns:
 Hall Car (Indicate # of Jamb arrows: ____)
 Lantern Signal Format:
 Serial (3-Wire Microcom type)
 Discrete
 Indicator: Voltage: _____ AC DC
 Bulb wattage: _____
 Gongs: Voltage: _____ AC DC
 Chimes: Voltage: _____ AC DC

Passing Floor Gong or Chime: Yes No
 Passing Floor Gong Signal Format:
 Serial (3-Wire Microcom type)
 Discrete
 Fixture Voltage: _____ AC DC
 Passing floor enable (S) button: Yes No

Voice Annunciation Yes No
 (Required for car speeds above 200 FPM)
 Annunciator device provided by: CE Electronics
 Other: _____
 Annunciator Signal Format:
 Serial (3-Wire Microcom type)
 Discrete (One line per floor or Binary)

Special Notes:
[Enter Here](#)

Destination Based Operation: Yes No
 If Yes, Please Complete DBD Survey form: 42-FR-0465 A1 (JER147)

Lobby Panel
 Yes (Please provide details and/or DWGs of this panel)
 No

Status Indicators

Type	Volts	AC	DC
Attendant Service <input type="checkbox"/> Status (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer) <input type="checkbox"/> Annunciator Panel (Displaying hall calls registered)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Call Status Registration Buzzer	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
Door Status <input type="checkbox"/> Hold <input type="checkbox"/> Left Open <input type="checkbox"/> Door Close Warning (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
Earthquake Service (** denotes 2016 or later) <input type="checkbox"/> EQ Slow Speed** (Required in COP for EQ hoistway scan) <input type="checkbox"/> EQ Mode (COP) (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)** <input type="checkbox"/> Seismic Status (Adjacent to each inspection station)** <input type="checkbox"/> Adjacent to Controller <input type="checkbox"/> Adjacent to cartop inspection station <input type="checkbox"/> Adjacent to in-car inspection Switch <input type="checkbox"/> Other inspection stations (list) _____ <input type="checkbox"/> Alarm bell in building audible in each car (activated by alarm button COP; not powered by controller)** <input type="checkbox"/> Per car <input type="checkbox"/> Per group	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
Emergency Power Operation <input type="checkbox"/> Recall (Phase 1) <input type="checkbox"/> Car Selected to Run (Phase 2) <input type="checkbox"/> Car at Recall Floor with Doors Open	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> EMT Service (Emergency Medical Technician) <input type="checkbox"/> Car <input type="checkbox"/> Hall (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer) <input type="checkbox"/> Recall (Phase 1) <input type="checkbox"/> Car Selected to Run (Phase 2) <input type="checkbox"/> Car at Recall Floor with Doors Open	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Fire Service (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Hospital Service (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> In-Service Light (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> In-Use Light	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Load Status (<input type="checkbox"/> Light <input type="checkbox"/> Heavy <input type="checkbox"/> Overload)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Nudging Buzzer	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Out of Service (<input type="checkbox"/> Light <input type="checkbox"/> Buzzer)	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>
Other:	<input type="checkbox"/> 24 <input type="checkbox"/> 120 <input type="checkbox"/> Other:	<input type="checkbox"/>	<input type="checkbox"/>

Position Indicators

MCE C.E. Electronics Serial Interface Driver (MicroComm)
 MCE E-Motive Serial Interface Driver
 Other Serial Fixture Driver (Please provide details)
 Serial PI fixtures located in: Car Hall
 If hall, indicate landing #: _____ Floor label: _____

Discrete Multi-Light
 Car with direction arrows
 Voltage: _____ AC DC
 Hall with direction arrows
 Voltage: _____ AC DC
 At landing #: _____ Floor label: _____

Discrete Digital Brand & Model: _____
 Car _____ with direction arrows
 Hall _____ with direction arrows
 At landing #: _____ Floor Label: _____

Signal Format:
 One line per floor
 Binary (Code begins at 1st landing 00 01)
 Grey Code

Signal Voltage:
 120VAC (Standard)
 24VDC
 Other
 Voltage: _____ AC DC
 If DC, common is: Positive Negative



Motion Control Engineering
 Voice: 916 463 9200
 Fax: 916 463 9201

iControl Traction Engineering Survey Form

Doc #42-FR-0449 A5 (JER117)
 www.nidec-mce.com

LANDINGS & OPENINGS

Landings & Openings

If more than 32 landings and/or 10 cars, please use additional sheets.

Ldg #	Floor Label	Floor Height	Car		Car		Car		Car		Car		Car		Car		Car		Car			
			F	R	F	R	F	R	F	R	F	R	F	R	F	R	F	R	F	R		
O.H.																						
32			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
31			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
30			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
29			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
28			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
27			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
26			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
25			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
24			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
23			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
22			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
21			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
20			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
19			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
18			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
17			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
16			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
15			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
13			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
12			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
11			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
9			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PIT																						
Capacity: <input type="checkbox"/> kg <input type="checkbox"/> lbs																						
Up Speed: <input type="checkbox"/> ms <input type="checkbox"/> fpm																						
Down Speed:																						
Total Travel: <input type="checkbox"/> m <input type="checkbox"/> ft																						

NOTE: Hoistway Layout Forms are required for each unique landing configuration including riser, opening, and wall/barrier location. These forms must be filled out by hand and faxed to MCE. Enter the number of drawings you are submitting here: _____



Motion Control Engineering
 Voice: 916 463 9200
 Fax: 916 463 9201

iControl Traction Engineering Survey Form

Page 11 of 11

Doc #42-FR-0449 A5 (JER117)
 www.nidec-mce.com

MONITORING / REPORTING INFORMATION

Monitoring Application Required:

MCE application: iMONITOR iREPORT
 3rd party Monitoring System: BMS-LINK (via BACnet)

Number of remote monitoring stations required: 1 2 3 Other (provide details) _____

When ethernet cabling runs are greater than 100m (328 ft), network (hyper) extenders are required.

Where needed, network extender to be provided by: MCE Others

Number of elevator systems to be monitored: 1 2 3 Other (provide details) _____

Please provide additional details regarding the elevator systems (simplex, duplex, & groups) below:

ELEVATOR IDENTIFICATION/REFERENCE	# OF CARS	PRODUCT TYPE (M2K, M4K, ICONTROL, IMC, PTC, ELEMENT)	MCE JOB NUMBER (IF APPLICABLE)
Example: State Capitol #1 to #3	3	iControl	2020012345
1)			
2)			
3)			
4)			
5)			
6)			

iMonitor Station #1

Station location: Lobby/Concierge Desk Security Office (@ floor _____)
 Fire Control Room Engineering Office (@ floor _____)
 Building Manager's Office (@ floor _____)

Estimated distances between monitoring station #1 and above elevator systems:
 (1) _____ (ft) (2) _____ (ft) (3) _____ (ft) (4) _____ (ft) (5) _____ (ft) (6) _____ (ft)

Hardware provided by: MCE Others
PC: Desktop (recommended) Laptop

Monitor size: 17" (standard) 19" 21"
 22" Touchscreen (iMonitor only)

Printer required at this location: Yes No

iMonitor Station #2

Station location: Lobby/Concierge Desk Security Office (@ floor _____)
 Fire Control Room Engineering Office (@ floor _____)
 Building Manager's Office (@ floor _____)

Estimated distances between monitoring station #2 and above elevator systems:
 (1) _____ (ft) (2) _____ (ft) (3) _____ (ft) (4) _____ (ft) (5) _____ (ft) (6) _____ (ft)

Hardware provided by: MCE Others
PC: Desktop (recommended) Laptop

Monitor size: 17" (standard) 19" 21"
 22" Touchscreen (iMonitor only)

Printer required at this location: Yes No

iMonitor Station #3

Station location: Lobby/Concierge Desk Security Office (@ floor _____)
 Fire Control Room Engineering Office (@ floor _____)
 Building Manager's Office (@ floor _____)

Estimated distances between monitoring station #3 and above elevator systems:
 (1) _____ (ft) (2) _____ (ft) (3) _____ (ft) (4) _____ (ft) (5) _____ (ft) (6) _____ (ft)

Hardware provided by: MCE Others
PC: Desktop (recommended) Laptop

Monitor size: 17" (standard) 19" 21"
 22" Touchscreen (iMonitor only)

Printer required at this location: Yes No

iMonitor Station #4

Station location: Lobby/Concierge Desk Security Office (@ floor _____)
 Fire Control Room Engineering Office (@ floor _____)
 Building Manager's Office (@ floor _____)

Estimated distances between monitoring station #4 and above elevator systems:
 (1) _____ (ft) (2) _____ (ft) (3) _____ (ft) (4) _____ (ft) (5) _____ (ft) (6) _____ (ft)

Hardware provided by: MCE Others
PC: Desktop (recommended) Laptop

Monitor size: 17" (standard) 19" 21"
 22" Touchscreen (iMonitor only)

Printer required at this location: Yes No

iREPORT

When a project requires a reporting component, only (1) building iREPORT system is required per building, as long as network connectivity is available from all elevator systems.

iREPORT consists of a client and a server. The client application of the iREPORT can reside on any/all network PCs that have connectivity to the iREPORT server.

The server application (database) is a separate PC which is located on the elevator network which collects all elevator system events that occur. Server PC can be in the elevator machine room or at any of the iMONITORING locations.

If required, is there a specific location that is set up for this PC?

Yes

iREPORT PC to located at: iMonitor Station # _____

Other (please provide details)

No (MCE Engineering to determine)